



















































































































473. Deshmukh, L., Ghirlando, R. & Clore, G.M. (2015) Conformation and dynamics of the Gag polyprotein of the human immunodeficiency virus 1 studied by NMR spectroscopy. *Proc. Natl. Acad. Sci. U. S. A.* *112*, 3374-3379.
474. Baber, J.L., Louis, J.M. & Clore, G.M. (2015) Dependence of distance distributions derived from double electron-electron resonance pulsed EPR spectroscopy on pulse-sequence time. *Angewandte Chemie Int. Ed.* *56*, 5336-5339.
475. Libich, D.S., Tugarinov, V. & Clore, G.M. (2015) Intrinsic unfoldase/foldase activity of the chaperonin GroEL directly demonstrated using multinuclear relaxation-based NMR. *Proc. Natl. Acad. Sci. U. S. A.* *112*, 8817-8823.
476. Clore, G.M. (2015) Practical aspects of paramagnetic relaxation enhancement in biological macromolecules. *Meth. Enzymol.* *564*, 485-497.
477. Tugarinov, V., Libich, D.S., Meyer, V., Roche, J. & Clore, G.M. (2015) The energetics of a three-state protein folding system probed by high-pressure relaxation dispersion NMR spectroscopy. *Angewandte Chemie Int. Ed.* *54*, 11157-11161.
478. Venditti, V., Schwieters, C.D., Grishaev, A. & Clore, G.M. (2015) Dynamic equilibrium between closed and partially-closed states of the bacterial Enzyme I unveiled by solution NMR and X-ray scattering. *Proc. Natl. Acad. Sci. U. S. A.* *112*, 11565-11570.
479. Louis, J.M., Deshmukh, L., Sayer, J., Anania, A. & Clore, G.M. (2015) Mutations proximal to sites of autoproteolysis and the  $\alpha$ -helix which co-evolve under drug pressure modulate autoproteolysis and vitality of HIV-1 protease. *Biochemistry* *54*, 5414-5424.
480. Clore, G.M. (2015) NMR in structural and cell biology. In *Encyclopedia of Cell Biology* (eds. Bradshaw, R.A. and Stahl, P.D.), vol. 1, pp. 98-107, Academic Press, Waltham, MA. doi:10.1016/B978-0-12-394447-4.10019-7.
481. Louis, J.M., Baber, J.L. & Clore, G.M. (2015) The C34 peptide fusion inhibitor binds to the 6-helix bundle core domain of HIV-1 gp41 by displacement of the C-terminal helical repeat region. *Biochemistry* *54*, 6796-6805.
482. Libich, D.S., Tugarinov, V. & Clore, G.M. (2015) Flux analysis of GroEL-assisted folding/unfolding. *Proc. Natl. Acad. Sci. U. S. A.* *112*, E6833-6844.

## 2016

483. Clore, G.M. (2016) Structure determination of large macromolecular complexes using NMR. In *Encyclopedia of Spectroscopy and Spectrometry*, 3<sup>rd</sup> ed., 3rd ed., (ed. Lindon, J.C., Tranter G.E. & Koppenaal, D.W.), vol. 4, pp. 316-318, Oxford, Elsevier. <http://dx.doi.org/10.1016/B978-0-12-409547-2.12131-6>.
484. Venditti, V., Egner, T.K. & Clore, G.M. (2016) Hybrid approaches to structural characterization of conformational ensembles of complex macromolecular systems combining NMR residual dipolar couplings and solution X-ray scattering. *Chem. Rev.* *11*, 6305-6322.
485. Bermejo, G., Clore, G.M. & Schwieters, C.D. (2016) Improving NMR structures of RNA. *Structure* *24*, 806-815.

















**200-500 citations (cont.)**

- Clore, G.M., Starich, M.R., Gronenborn, A.M. (1998) Measurement of residual dipolar couplings of macromolecules aligned in the nematic phase of a colloidal suspension of rod-shaped viruses. *J. Am. Chem. Soc.* *120*, 10571-10572.
- Caffrey, M., Cai, M., Kaufman, J., Stahl, S.J., Wingfield, P.T., Covell, D.G., Gronenborn, A.M. & Clore, G.M. (1998) Three-dimensional solution structure of the 44 kDa ectodomain of SIV gp41. *EMBO J.* *17*, 4572-4584.
- Bewley, C.A., Gustafson, K.R., Boyd, M.R., Covell, D.G., Bax, A., Clore, G.M. & Gronenborn, A.M. (1998) Solution structure of cyanovirin-N, a potent HIV-inactivating protein. *Nature Struct. Biol.* *5*, 571-578.
- Kuszewski, J., Gronenborn, A.M. & Clore, G.M. (1999) Improving the packing and accuracy of NMR structures with a pseudopotential for the radius of gyration. *J. Am. Chem. Soc.* *121*, 2337-2338.
- Garrett, D.S., Seok, Y.-J., Peterkofsky, A., Gronenborn, A.M. & Clore, G.M. (1999) Solution structure of the 40,000 M<sub>r</sub> phosphoryl transfer complex between Enzyme I and HPr. *Nature Struct. Biol.* *6*, 166-173.
- Clore, G.M. & Garrett, D.S. (1999) R-factor, Free R and complete cross-validation for dipolar coupling refinement of NMR structures. *J. Am. Chem. Soc.* *121*, 9008-9012.
- Iwahara, J., Schwieters, C.D. & Clore, G.M. (2004) Ensemble approach for NMR structure refinement against <sup>1</sup>H paramagnetic relaxation enhancement data arising from a flexible paramagnetic group attached to a macromolecule. *J. Am. Chem. Soc.* *126*, 5879-5896.
- Schwieters, C. D., Kuszewski, J. J. & Clore, G.M. (2006) Using Xplor-NIH for NMR molecular structure determination. *Progr. NMR Spectroscopy.* *48*, 47-62.
- Iwahara, J. & Clore, G. M. (2006) Detecting transient intermediates in macromolecular binding by paramagnetic NMR. *Nature* *440*, 1227-1230.
- Tang, C., Iwahara, J. & Clore, G.M. (2006) Visualization of transient encounter complexes in protein-protein association. *Nature* *444*, 383-386.
- Tang, C., Schwieters, C.D. & Clore, G.M. (2007) Open-to-closed transition in apo maltose-binding protein visualized by paramagnetic NMR. *Nature* *449*, 1878-1882.
- Clore, G.M. & Iwahara, J. (2009) Theory, practice and applications of paramagnetic relaxation enhancement for the characterization of transient low-population states of biological macromolecules and their complexes. *Chem. Rev.* *109*, 4108-4139.

**100-200 Citations**

- Clore, G.M., Andreasson, L.E., Karlsson, B., Aasa, R. & Malstrom, B.G. (1980) Characterization of the low temperature intermediates of the reaction of fully reduced soluble cytochrome oxidase with oxygen by electron paramagnetic resonance and optical spectroscopy. *Biochem. J.* *185*, 139-154.
- Clore, G.M., Kimber, B.J. & Gronenborn, A.M. (1983) The 1-1 hard pulse: a novel, simple and effective method of water resonance suppression in FT-<sup>1</sup>H-NMR. *J. Magn. Reson.* *54*, 170-173.

**100-200 Citations (cont.)**

- Gronenborn, A.M. & Clore, G.M. (1985) Investigations into the solution structures of short nucleic acid fragments by means of nuclear Overhauser enhancement measurements. *Progr. Nucl. Magn. Reson. Spectroscopy* 17, 1-32.
- Perutz, M.F., Gronenborn, A.M., Clore, G.M., Hogg, J.H. & Shi, T. (1985) The pK<sub>a</sub>'s of two histidines in human haemoglobin, the Bohr effect and the dipole moment of  $\alpha$ -helices. *J. Mol. Biol.* 183, 491-498.
- Clore, G.M. & Gronenborn, A.M. (1985) Assessment of errors involved in the determination of interproton distance ratios and distances by means of one- and two-dimensional NOE measurements. *J. Magn. Reson.* 61, 158-164.
- Nilsson, L., Clore, G.M., Gronenborn, A.M., Brünger, A.T. & Karplus, M. (1986) Structure refinement of oligonucleotides by molecular dynamics with NOE interproton distance restraints: application to 5'd(CGTACG)<sub>2</sub>. *J. Mol. Biol.* 188, 455-475.
- Clore, G.M., Martin, S.R. & Gronenborn, A.M. (1986) The solution structure of human growth hormone releasing factor: combined use of circular dichroism and nuclear magnetic resonance spectroscopy. *J. Mol. Biol.* 191, 553-561.
- Clore, G.M. & Gronenborn, A.M. (1987) Determination of three-dimensional structures of proteins in solution by nuclear magnetic resonance spectroscopy. *Protein Engineering* 1, 275-288.
- Bax, A., Sklenar, V., Clore, G.M. & Gronenborn, A.M. (1987) Water suppression in two-dimensional spin-locked NMR experiments using a novel phase cycling procedure. *J. Am. Chem. Soc.* 109, 6511-6513.
- Clore, G.M., Sukumaran, D.K., Nilges, M., Zarbock, J. & Gronenborn, A.M. (1987) The conformations of hirudin in solution: a study using nuclear magnetic resonance, distance geometry and restrained molecular dynamics. *EMBO J.* 6, 529-537.
- Oschkinat, H., Griesinger, C., Kraulis, P.J., Sørensen, O.W., Ernst, R.R., Gronenborn, A.M. & Clore, G.M. (1988) Three-dimensional NMR spectroscopy of a protein in solution. *Nature* 332, 374-376.
- Driscoll, P.C., Clore, G.M., Beress, L. & Gronenborn, A.M. (1989) A proton nuclear magnetic resonance study of the anti-hypertensive and anti-viral protein BDS-I from the sea anemone *Anemonia sulcata*: sequential and stereospecific assignment and secondary structure. *Biochemistry* 28, 2178-2187.
- Driscoll, P.C., Gronenborn, A.M., Beress, L. & Clore, G.M. (1989) Determination of the three-dimensional structure of the anti-hypertensive and anti-viral protein BDS-I from the sea anemone *Anemonia sulcata*: a study using nuclear magnetic resonance and hybrid distance geometry-dynamical simulated annealing. *Biochemistry* 28, 2188-2198.
- Folkers, P.J.M., Clore, G.M., Driscoll, P.C., Dodt, J., Köhler, S. & Gronenborn, A.M. (1989) The solution structure of recombinant hirudin and the Lys-47/Glu mutant: a nuclear magnetic resonance and hybrid distance geometry-dynamical simulated annealing study. *Biochemistry* 28, 2601-2617.
- Gronenborn, A.M., Bax, A., Wingfield, P.T. & Clore, G.M. (1989) A powerful method of sequential proton resonance assignment in proteins using relayed <sup>15</sup>N-<sup>1</sup>H multiple quantum coherence spectroscopy. *FEBS Letters* 243, 93-98.

**100-200 Citations (cont.)**

- Driscoll, P.C., Clore, G.M., Marion, D., Wingfield, P.T. & Gronenborn, A.M. (1990) Complete resonance assignment for the polypeptide backbone of interleukin-1 $\beta$  using three-dimensional heteronuclear NMR spectroscopy. *Biochemistry* 29, 3542-3556.
- Clore, G.M., Bax, A., Wingfield, P.T. & Gronenborn, A.M. (1990) Identification and localization of bound internal water in the solution structure of interleukin-1 $\beta$  by heteronuclear three-dimensional  $^1\text{H}$  rotating frame Overhauser  $^{15}\text{N}$ - $^1\text{H}$  multiple quantum coherence NMR spectroscopy. *Biochemistry* 29, 5671-5676.
- Clore, G.M., Bax, A., Driscoll, P.C., Wingfield, P.T. & Gronenborn, A.M. (1990) Assignment of the side chain  $^1\text{H}$  and  $^{13}\text{C}$  resonance of interleukin-1 $\beta$  using double and triple resonance heteronuclear three-dimensional NMR spectroscopy. *Biochemistry* 29, 8172-8184.
- Omichinski, J., Clore, G.M., Appella, E., Sakaguchi, K. & Gronenborn, A.M. (1990) High resolution three-dimensional solution structure of a single zinc finger from a human enhancer binding protein in solution. *Biochemistry* 29, 9324-9334.
- Ikura, M., Bax, A., Clore, G.M. & Gronenborn, A.M. (1990) Detection of nuclear Overhauser effects between degenerate amide proton resonances by heteronuclear three-dimensional NMR spectroscopy. *J. Am. Chem. Soc.* 112, 9020-9022.
- Nilges, M., Clore, G.M. & Gronenborn, A.M. (1990)  $^1\text{H}$ -NMR stereospecific assignments by conformational database searches. *Biopolymers* 29, 813-822.
- Clore, G.M., Kay, L.E., Bax, A. & Gronenborn, A.M. (1991) Four dimensional  $^{13}\text{C}/^{13}\text{C}$ -edited nuclear Overhauser enhancement spectroscopy of a protein in solution: application to interleukin-1 $\beta$ . *Biochemistry* 30, 12-18.
- Clore, G.M., Wingfield, P.T. & Gronenborn, A.M. (1991) High resolution three dimensional structure of interleukin-1 $\beta$  in solution by three and four dimensional nuclear magnetic resonance spectroscopy. *Biochemistry* 30, 2315-2323.
- Forman-Kay, J.D., Clore, G.M., Wingfield, P.T. & Gronenborn, A.M. (1991) The high resolution three-dimensional structure of reduced recombinant human thioredoxin in solution. *Biochemistry* 30, 2685-2698.
- Powers, R., Gronenborn, A.M., Clore, G.M. & Bax, A. (1991) Three-dimensional triple resonance NMR of  $^{13}\text{C}/^{15}\text{N}$  enriched proteins using constant-time evolution. *J. Magn. Reson.* 94, 209-213.
- Powers, R., Garrett, D.S., March, C.J., Frieden, E.A., Gronenborn, A.M. & Clore, G.M. (1992) Three-dimensional solution structure of human interleukin-4 by multi-dimensional heteronuclear magnetic resonance spectroscopy. *Science* 256, 1673-1677.
- Chandrasasekhar, I., Clore, G.M., Szabo, A., Gronenborn, A.M. & Brooks, B.R. (1992) A 500 ps molecular dynamics simulation study of interleukin-1 $\beta$  in water: correlation with nuclear magnetic resonance spectroscopy and crystallography. *J. Mol. Biol.* 226, 239-250.
- Vuister, G.W., Clore, G.M., Gronenborn, A.M., Powers, R., Garrett, D.S., Tschudin, R. & Bax, A. (1993) Increased resolution and improved spectral quality in four-dimensional  $^{13}\text{C}/^{13}\text{C}$ -separated HMQC-NOE-HMQC spectra using pulsed field gradients. *J. Magn. Reson. Series B* 101, 210-213.

**100-200 Citations (cont.)**

- Varley, P., Gronenborn, A.M., Christensen, H., Wingfield, P.T., Pain, R.H. & Clore, G.M. (1993) Kinetics of folding of the all  $\beta$ -sheet protein interleukin-1 $\beta$  studied by nuclear magnetic resonance, circular dichroism and fluorescence. *Science* 240, 1110-1113.
- Brünger, A.T., Clore, G.M., Gronenborn, A.M., Saffrich, R. & Nilges, M. (1993) Assessing the quality of solution nuclear magnetic resonance structures by complete cross-validation. *Science* 261, 328-331.
- Sakaguchi, K., Zambrano, N., Baldwin, E.T., Shapiro, B.A., Erickson, J.W., J.G. Omichinski, G.M. Clore, A.M. Gronenborn & E. Appella (1993) Identification of a binding site for the human immunodeficiency virus type I nucleocapsid protein. *Proc. Natl. Acad. Sci. U.S.A.* 90, 5219-5223.
- Powers, R., Garrett, D.S., March, C.J., Frieden, E.A., Gronenborn, A.M. & Clore, G.M. (1993) The high resolution three-dimensional solution structure of human interleukin-4 determined by multi-dimensional heteronuclear magnetic resonance spectroscopy. *Biochemistry* 32, 6744-6762.
- Clore, G.M., Robien, M.A. & Gronenborn, A.M. (1993) Exploring the limits of precision and accuracy of protein structures determined by nuclear magnetic resonance spectroscopy. *J. Mol. Biol.* 231, 82-102.
- Omichinski, J.G., Trainor, C., Evans, T., Gronenborn, A.M., Clore, G.M. & Felsenfeld, G. (1993) A small single-'finger' peptide from the erythroid factor GATA-1 binds specifically to DNA as a zinc or iron complex. *Proc. Natl. Acad. Sci. U.S.A.* 90, 1676-1680.
- Garrett, D.S., Kuszewski, J., Hancock, T.J., Lodi, P.J., Vuister, G.W., Gronenborn, A.M. & Clore, G.M. (1994) The impact of direct refinement against three-bond HN-C $\alpha$ H coupling constants on protein structure determination by NMR. *J. Magn. Reson. Series B* 104, 99-103.
- Qin, J., Clore, G.M. & Gronenborn, A.M. (1994) The high resolution three-dimensional solution structure of the oxidized and reduced states of human thioredoxin: delineation of conformational differences between the two redox states. *Structure* 2, 503-522.
- Werner, M.H., Clore, G.M., Gronenborn, A.M., Kondoh, A. & Fisher, R.J. (1994) Refolding proteins by gel filtration chromatography. *FEBS Lett.* 345, 125-130.
- Rozwarski, D.A., Gronenborn, A.M., Clore, G.M., Bazan, J.F., Bohm, A., Wlodawer, A., Hatada, M. & Karplus, P.A. (1994) Structural comparison among the short-chain helical cytokines. *Structure* 2, 159-173.
- Kuszewski, J., Qin, J., Gronenborn, A.M. & Clore, G.M. (1995) The impact of direct refinement against  $^{13}\text{C}\alpha$  and  $^{13}\text{C}\beta$  chemical shifts on protein structure determination by NMR. *J. Magn. Reson Series B* 106, 92-96.
- Kuszewski, J., Gronenborn, A.M. & Clore, G.M. (1995) The impact of direct refinement against proton chemical shifts in protein structure determination by NMR. *J. Magn. Reson. Series B* 107, 293-297.
- Qin, J., Clore, G.M. Kennedy, W.M.P., Huth, J.R. & Gronenborn, A.M. (1995) Solution structure of human thioredoxin in a mixed disulfide intermediate complex with its target peptide from the transcription factor NF $\kappa$ B. *Structure* 3, 289-297.

**100-200 Citations (cont.)**

- Frank, M.K., Clore, G.M. & Gronenborn, A.M. (1995) Structural and dynamic characterization of the urea denatured state of the immunoglobulin binding domain of Streptococcal protein G. *Protein Science* 4, 2605-2615.
- Clore, G.M., Ernst, J., Clubb, R.T., Omichinski, J.G., Kennedy, W.M.P., Sakaguchi, K., Appella, E. & Gronenborn, A.M. (1995) Refined solution structure of the oligomerization domain of the tumour suppressor p53. *Nature Struct. Biol.* 2, 321-332.
- Makhatadze, G.I., Clore, G.M. & Gronenborn, A.M. (1995) Solvent isotope effect and protein stability. *Nature Struct. Biol.* 2, 852-855.
- Kuszewski, J., Gronenborn, A.M. & Clore, G.M. (1995) The impact of direct refinement against proton chemical shifts in protein structure determination by NMR. *J. Magn. Reson. Series B* 107, 293-297.
- Clore, G.M. & Gronenborn, A.M. (1995) Three-dimensional structures of  $\alpha$  and  $\beta$  chemokines. *FASEB Journal* 9, 57-62.
- Kuszewski, J., Gronenborn, A.M. & Clore, G.M. (1996) Improving the quality of NMR and crystallographic protein structures by means of a conformational database potential derived from structure databases. *Protein Science* 5, 1067-1080.
- Qin, J., Clore, G.M., Kennedy W.P., Kuszewski, J. & Gronenborn, A.M. (1996) The solution structure of human thioredoxin complexed with its target from Ref-1 reveals peptide chain reversal. *Structure* 4, 613-620.
- Grzesiek, S., Bax, A., Clore, G.M., Gronenborn, A.M., Hu, J.-H., Kaufman, J., Palmer, I., Stahl, S.J. & Wingfield, P.T. (1996) The solution structure of HIV-1 Nef reveals an unexpected fold and permits delineation of the binding surface for the SH3 domain of Hck tyrosine protein kinase. *Nature Struct. Biol.* 3, 340-345.
- Trainor, C.D., Omichinski, J.G., Vandergon, T.L., Gronenborn, A.M., Clore, G.M. & Felsenfeld, G. (1996) A palindromic regulatory site with vertebrate GATA-1 promoters requires both zinc fingers of the GATA-1 DNA binding domain for high affinity interaction. *Mol. Cell. Biol.* 16, 2238-2247.
- Pedone, P.V., Ghirlando, R., Clore, G.M., Gronenborn, A.M., Felsenfeld, G. & Omichinski, J.G. (1996) The single Cys<sub>2</sub>His<sub>2</sub> zinc finger domain of the GAGA protein flanked by basic residues is sufficient for high affinity DNA binding. *Proc. Natl. Acad. Sci. U.S.A.* 93, 2822-2826.
- Werner, M.H., Gronenborn, A.M. & Clore, G.M. (1996) Intercalation, DNA kinking and the control of transcription. *Science* 271, 778-784.
- Cai, M., Zheng, R., Caffrey, M., Craigie, R., Clore, G.M. & Gronenborn, A.M. (1997) Solution structure of the N-terminal zinc binding domain of HIV-1 integrase. *Nature Struct. Biol.* 4, 567-577.
- Kuszewski, J., Gronenborn, A.M. & Clore, G.M. (1997) Improvements and extensions in the conformational database potential for the refinement of NMR and X-ray structures of proteins and nucleic acids. *J. Magn. Reson.* 125, 171-177.
- Omichinski, J.G., Pedone, P.V., Felsenfeld, G., Gronenborn, A.M. & Clore, G.M. (1997) The solution structure of a specific GAGA factor/DNA complex reveals a modular binding mode. *Nature Struct. Biol.* 4, 122-132.



**100-200 Citations (cont.)**

- Tjandra, N., Garrett, D.S., Gronenborn, A.M., Bax, A. & Clore, G.M. (1997) Defining long range order in NMR structure determination from the dependence of heteronuclear relaxation times on rotational diffusion anisotropy. *Nature Struct. Biol.* 4, 443-449.
- Garrett, D.S., Seok, Y.J., Liao, D.I., Peterkofsky, A., Gronenborn, A.M. & Clore, G.M. (1997) Solution structure of the 30 kDa N-terminal domain of Enzyme I of the *Escherichia coli* phosphoenolpyruvate:sugar phosphotransferase system by multidimensional NMR. *Biochemistry* 36, 2517-2530.
- Huth, J.R., Bewley, C.A., Jackson, B.M., Hinnebusch, A.G., Clore, G.M. & Gronenborn, A.M. (1997) Design of an expression system for detecting folded protein domains and mapping macromolecular interactions by NMR. *Protein Sci.* 6, 2359-2364.
- Clore, G.M. & Gronenborn, A. M. (1998) New methods of structure refinement for macromolecular structure determination by NMR. *Proc. Natl. Acad. Sci. U.S.A.* 95, 5891-5898.
- Bewley, C.A., Gronenborn, A.M. & Clore, G.M. (1998) Minor-groove binding architectural proteins: structure, function and DNA recognition. *Ann. Rev. Biophys. Biomolec. Struct.* 27, 105-131.
- Cai, M., Huang, Y., Zheng, R., Wei, S.-Q., Guirlando, R., Lee, M.S., Craigie, R., Gronenborn, A.M. & Clore, G.M. (1998) Solution structure of the cellular factor BAF responsible for protecting retroviral DNA from autointegration. *Nature Struct. Biol.* 5, 903-909.
- Clore, G.M. & Gronenborn, A.M. (1998) Determining structures of large proteins and protein complexes by NMR. *Trends in Biotechnology* 16, 22-34.
- Cai, M., Huang, Y., Sakaguchi, K., Clore, G.M., Gronenborn, A.M. & Craigie, R. (1998) An efficient and cost-effective isotope labeling protocol for proteins expressed in *Escherichia coli*. *J. Biomol. NMR* 11, 97-102.
- Louis, J.M., Clore, G.M. & Gronenborn, A.M. (1999) Regulation of HIV-1 protease: autoprocessing is tightly coupled to protein folding. *Nature Struct. Biol.* 6, 868-875.
- Yang, F., Bewley, C.A., Louis, J.M., Gustafson, K.R., Boyd, M.R., Gronenborn, A.M., Clore, G.M. & Wlodawer, A. (1999) Crystal structure of cyanovirin-N, a potent HIV-inactivating protein, shows unexpected domain swapping. *J. Mol. Biol.* 288, 403-412.
- Yu, B., Blaber, M., Gronenborn, A.M., Clore, G.M. & Caspar, D.L.D. (1999) Disordered water within a hydrophobic cavity visualized by X-ray crystallography. *Proc. Natl. Acad. Sci. U.S.A.* 96, 103-108.
- Cornilescu, G., Ramirez, B.E., Frank, M.K., Clore, G.M., Gronenborn, A.M. & Bax, A. (1999) Correlation between  $^3\text{H}_{\text{NC}}$  and hydrogen bond length in proteins. *J. Am. Chem. Soc.* 121, 6275-6279.
- Clore, G.M., Starich, M.R., Bewley, C.A., Cai, M. & Kuszewski, J. (1999) Impact of residual dipolar couplings on the accuracy of NMR structures determined from a minimal number of NOE restraints. *J. Am. Chem. Soc.* 121, 6513-6514.
- Clore, G.M. (2000) Accurate and rapid docking of protein-protein complexes on the basis of intermolecular nuclear Overhauser enhancement data and dipolar couplings by rigid body minimization. *Proc. Natl. Acad. Sci. U.S.A.* 97, 9021-9025.

**100-200 Citations (cont.)**

- Kontaxis, G., Clore, G.M. & Bax, A. (2000) Evaluation of cross-relaxation effects and measurement of one-bond couplings in proteins with short transverse relaxation times. *J. Magn. Reson.* *143*, 184-196.
- Wang, G.S., Louis, J.M., Sondej, M., Seok, Y.-J., Peterkofsky, A. & Clore, G.M. (2000) Solution structure of the phosphoryl transfer complex between the signal transducing protein HPr and IIA<sup>Glucose</sup> of the *Escherichia coli* phosphoenolpyruvate:sugar phosphotransferase system. *EMBO J.* *19*, 5635-5649.
- Schwieters, C.D. & Clore, G.M. (2001) Internal coordinates for molecular dynamics and minimization in structure determination and refinement. *J. Magn. Reson.* *152*, 288-302.
- Schwieters, C.D. & Clore, G.M. (2001) The VMD-XPLOR visualization package for NMR structure refinement. *J. Magn. Reson.* *149*, 239-244.
- Cai, M., Huang, Y., Ghirlando, R., Wilson, K.L., Craigie, R. and Clore, G.M. (2001) Solution structure of the constant region of nuclear envelope protein LAP2 reveals two LEM-domain structures: one binds BAF and the other binds DNA. *EMBO J.* *20*, 4399-4407.
- Bewley, C.A., Louis, J.M., Ghirlando, R. & Clore, G.M. (2002) Design of a novel peptide inhibitor of HIV fusion that disrupts the internal trimeric coiled-coil of gp41. *J. Biol. Chem.* *277*, 14238-14245.
- Braddock, D.T., Louis, J.M., Baber, J.L., Levens, D. & Clore, G.M. (2002) Structure and dynamics of KH domains from FBP bound to single-stranded DNA. *Nature* *415*, 1051-1056.
- Clore, G.M. & Schwieters, C.D. (2003) Docking of protein-protein complexes on the basis of highly ambiguous intermolecular distance restraints derived from <sup>1</sup>H<sub>N</sub>/<sup>15</sup>N chemical shift mapping and backbone <sup>15</sup>N-<sup>1</sup>H residual dipolar couplings using conjoined rigid body/torsion angle dynamics. *J. Am. Chem. Soc.* *125*, 2902-2912.
- Williams, D.C., Cai, M. & Clore, G.M. (2004) Molecular basis for synergistic transcriptional activation by Oct1 and Sox2 revealed from the solution structure of the 42 kDa Oct1·Sox·Hoxb1-DNA ternary transcription factor complex. *J. Biol. Chem.* *279*, 1449-1457.
- Clore, G.M. & Schwieters, C.D. (2004) How much backbone motion in ubiquitin is required to be consistent with dipolar coupling data measured in multiple alignment media as assessed by independent cross-validation. *J. Am. Chem. Soc.* *126*, 2923-2938.
- Clore, G.M. & Schwieters, C. D. (2004) Amplitudes of protein backbone dynamics and correlated motions in a small  $\alpha/\beta$  protein: correspondence of dipolar coupling and heteronuclear relaxation measurements. *Biochemistry* *43*, 10678-10691.
- Clore, G.M. & Schwieters, C. D. (2006) Concordance of residual dipolar couplings, backbone order parameters and crystallographic B-factors for a small  $\alpha/\beta$  protein: a unified picture of high probability, fast atomic motions in proteins. *J. Mol. Biol.* *355*, 879-886.
- Iwahara, J., Zwecksetter, M. & Clore, G.M. (2006) NMR structural and kinetic characterization of a homeodomain diffusing and hopping on non-specific DNA. *Proc. Natl. Acad. Sci. U.S.A.* *103*, 15062-15067.
- Clore, G.M., Tang, C. & Iwahara, J. (2007) Elucidating transient macromolecular interactions using paramagnetic relaxation enhancement. *Curr. Op. Struct. Biol.* *17*, 603-616.

**100-200 Citations (cont.)**

Iwahara, J., Tang, C. & Clore, G.M. (2007) Practical aspects of  $^1\text{H}$  transverse paramagnetic relaxation enhancement measurements on macromolecules. *J. Magn. Reson.* 184, 185-195.

Fawzi, N., Ying, J., Torchia, D, A., Clore, G. M. (2010) Kinetics of amyloid  $\beta$  monomer to oligomer exchange by NMR relaxation. *J. Am. Chem. Soc.* 132, 9948-9951.

Fawzi, N.L., Ying, J., Ghirlando, R, Torchia, D.A. & Clore, G.M. (2011) Atomic resolution dynamics on the surface of amyloid  $\beta$  protofibrils probed by solution NMR. *Nature* 480, 268-272.

Anthis, N.J. & Clore, G.M. (2013) Sequence-specific determination of protein and peptide concentrations by absorbance at 205 nm. *Protein Sci.* 22, 581-588