

ACKNOWLEDGMENTS/ FUNDING

Dr. Mayer-Davis was supported by a grant from the Centers for Disease Control and Prevention (DP002708). Dr. Zhong was a doctoral student at the University of North Carolina at Chapel Hill when he participated in drafting this chapter.

DUALITY OF INTEREST

Drs. Imperatore, Mayer-Davis, Orchard, and Zhong reported no conflicts of interest, with the following potential exception. Dr. Zhong received support from Sanofi US as a UNC Sanofi Global Nutrition Scholar at the University of North Carolina at Chapel Hill.

REFERENCES

- Pettitt DJ, Talton J, Dabelea D, Divers J, Imperatore G, Lawrence JM, Liese AD, Linder B, Mayer-Davis EJ, Pihoker C, Saydah SH, Standiford DA, Hamman RF; SEARCH for Diabetes in Youth Study Group: Prevalence of diabetes in U.S. youth in 2009: the SEARCH for Diabetes in Youth Study. *Diabetes Care* 37:402–408, 2014
- Centers for Disease Control and Prevention: *National Diabetes Statistics Report: Estimates of Diabetes and Its Burden in the United States, 2014*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2014. Note: Figures 2.4, 2.5, and associated text in this chapter use the same data as the cited report, but provide additional age and sex stratification.
- Moorman JE, Akinbami LJ, Bailey CM, Zahran HS, King ME, Johnson CA, Liu X: National surveillance of asthma: United States, 2001–2010. *Vital Health Stat* 3:1–58, 2012
- Winer RA, Qin X, Harrington T, Moorman J, Zahran H: Asthma incidence among children and adults: findings from the Behavioral Risk Factor Surveillance System asthma call-back survey—United States, 2006–2008. *J Asthma* 49:16–22, 2012
- National Center for Health Statistics: *Attention Deficit Hyperactivity Disorder Among Children Aged 5–17 Years in the United States, 1998–2009*. NCHS Data Brief, no 70. Hyattsville, MD: U.S. Department of Health and Human Services, National Center for Health Statistics, 2011
- Developmental Disabilities Monitoring Network Surveillance Year 2010 Principal Investigators; Centers for Disease Control and Prevention (CDC): Prevalence of autism spectrum disorder among children aged 8 years—Autism and Developmental Disabilities Monitoring Network, 11 sites, United States, 2010. *MMWR Surveill Summ* 63:1–21, 2014
- SEER Cancer Statistics Review, 1975–2011 [article online], 2014. Available from http://seer.cancer.gov/csr/1975_2011. Accessed 15 July 2014
- United States Cancer Statistics: 1999–2010 incidence and mortality web-based report [article online], 2013. Available from www.cdc.gov/uscs. Accessed 15 July 2014
- Austin MA, Hutter CM, Zimmern RL, Humphries SE: Genetic causes of monogenic heterozygous familial hypercholesterolemia: a HuGE prevalence review. *Am J Epidemiol* 160:407–420, 2004
- Parker SE, Mai CT, Canfield MA, Rickard R, Wang Y, Meyer RE, Anderson P, Mason CA, Collins JS, Kirby RS, Correa A; National Birth Defects Prevention Network: Updated national birth prevalence estimates for selected birth defects in the United States, 2004–2006. *Birth Defects Res A Clin Mol Teratol* 88:1008–1016, 2010
- Secrest AM, Becker DJ, Kelsey SF, LaPorte RE, Orchard TJ: All-cause mortality trends in a large population-based cohort with long-standing childhood-onset type 1 diabetes: the Allegheny County type 1 diabetes registry. *Diabetes Care* 33:2573–2579, 2010
- Miller RG, Secrest AM, Sharma RK, Songer TJ, Orchard TJ: Improvements in the life expectancy of type 1 diabetes: the Pittsburgh Epidemiology of Diabetes Complications study cohort. *Diabetes* 61:2987–2992, 2012
- Patterson CC, Dahlquist G, Harjutsalo V, Joner G, Feltbower RG, Svensson J, Schober E, Gyurus E, Castell C, Urbonaite B, Rosenbauer J, Iotova V, Thorsson AV, Soltész G: Early mortality in EURODIAB population-based cohorts of type 1 diabetes diagnosed in childhood since 1989. *Diabetologia* 50:2439–2442, 2007
- Harjutsalo V, Forsblom C, Groop PH: Time trends in mortality in patients with type 1 diabetes: nationwide population based cohort study. *BMJ* 343:d5364, 2011
- Lind M, Svensson AM, Kosiborod M, Gudbjornsdottir S, Pivodic A, Wedel H, Dahlqvist S, Clements M, Rosengren A: Glycemic control and excess mortality in type 1 diabetes. *N Engl J Med* 371:1972–1982, 2014
- Fletcher JM, Richards MR: Diabetes's 'health shock' to schooling and earnings: increased dropout rates and lower wages and employment in young adults. *Health Aff (Millwood)* 31:27–34, 2012
- Hamman RF, Bell RA, Dabelea D, D'Agostino RB, Jr., Dolan L, Imperatore G, Lawrence JM, Linder B, Marcovina SM, Mayer-Davis EJ, Pihoker C, Rodriguez BL, Saydah S; SEARCH for Diabetes in Youth Study Group: The SEARCH for Diabetes in Youth study: rationale, findings, and future directions. *Diabetes Care* 37:3336–3344, 2014
- Menke A, Orchard TJ, Imperatore G, Bullard KM, Mayer-Davis E, Cowie CC: The prevalence of type 1 diabetes in the United States. *Epidemiology* 24:773–774, 2013
- Gorham ED, Barrett-Connor E, Highfill-McRoy RM, Mohr SB, Garland CF, Garland FC, Ricordi C: Incidence of insulin-requiring diabetes in the US military. *Diabetologia* 52:2087–2091, 2009
- Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care* 20:1183–1197, 1997
- Skyler JS: Immune intervention for type 1 diabetes mellitus. *Int J Clin Pract Suppl*:61–70, 2011
- Badaru A, Klingensmith GJ, Dabelea D, Mayer-Davis EJ, Dolan L, Lawrence JM, Marcovina S, Beavers D, Rodriguez BL, Imperatore G, Pihoker C: Correlates of treatment patterns among youth with type 2 diabetes. *Diabetes Care* 37:64–72, 2014

23. TODAY Study Group, Zeitler P, Hirst K, Pyle L, Linder B, Copeland K, Arslanian S, Cuttler L, Nathan DM, Tollefsen S, Wilfley D, Kaufman F: A clinical trial to maintain glycemic control in youth with type 2 diabetes. *N Engl J Med* 366:2247–2256, 2012
24. Liu LL, Lawrence JM, Davis C, Liese AD, Pettitt DJ, Pihoker C, Dabelea D, Hamman R, Waitzfelder B, Kahn HS; SEARCH for Diabetes in Youth Study Group: Prevalence of overweight and obesity in youth with diabetes in USA: the SEARCH for Diabetes in Youth study. *Pediatr Diabetes* 11:4–11, 2010
25. Ogden CL, Carroll MD, Kit BK, Flegal KM: Prevalence of childhood and adult obesity in the United States, 2011–2012. *JAMA* 311:806–814, 2014
26. Palmer JP: C-peptide in the natural history of type 1 diabetes. *Diabetes Metab Res Rev* 25:325–328, 2009
27. Greenbaum CJ, Anderson AM, Dolan LM, Mayer-Davis EJ, Dabelea D, Imperatore G, Marcovina S, Pihoker C; SEARCH Study Group: Preservation of beta-cell function in autoantibody-positive youth with diabetes. *Diabetes Care* 32:1839–1844, 2009
28. Keenan HA, Sun JK, Levine J, Doria A, Aiello LP, Eisenbarth G, Bonner-Weir S, King GL: Residual insulin production and pancreatic β -cell turnover after 50 years of diabetes: Joslin Medalist Study. *Diabetes* 59:2846–2853, 2010
29. Dabelea D, Pihoker C, Talton JW, D'Agostino RB, Jr., Fujimoto W, Klingensmith GJ, Lawrence JM, Linder B, Marcovina SM, Mayer-Davis EJ, Imperatore G, Dolan LM; SEARCH for Diabetes in Youth Study: Etiological approach to characterization of diabetes type: the SEARCH for Diabetes in Youth Study. *Diabetes Care* 34:1628–1633, 2011
30. Pihoker C, Gilliam LK, Ellard S, Dabelea D, Davis C, Dolan LM, Greenbaum CJ, Imperatore G, Lawrence JM, Marcovina SM, Mayer-Davis E, Rodriguez BL, Steck AK, Williams DE, Hattersley AT; SEARCH for Diabetes in Youth Study Group: Prevalence, characteristics and clinical diagnosis of maturity onset diabetes of the young due to mutations in HNF1A, HNF4A, and glucokinase: results from the SEARCH for Diabetes in Youth. *J Clin Endocrinol Metab* 98:4055–4062, 2013
31. DIAMOND Project Group: Incidence and trends of childhood type 1 diabetes worldwide 1990–1999. *Diabet Med* 23:857–866, 2006
32. Patterson CC, Dahlquist GG, Gyurus E, Green A, Soltesz G; EURODIAB Study Group: Incidence trends for childhood type 1 diabetes in Europe during 1989–2003 and predicted new cases 2005–20: a multicentre prospective registration study. *Lancet* 373:2027–2033, 2009
33. Harjutsalo V, Sjoberg L, Tuomilehto J: Time trends in the incidence of type 1 diabetes in Finnish children: a cohort study. *Lancet* 371:1777–1782, 2008
34. Lipman TH, Levitt Katz LE, Ratcliffe SJ, Murphy KM, Aguilar A, Rezvani I, Howe CJ, Fadia S, Suarez E: Increasing incidence of type 1 diabetes in youth: twenty years of the Philadelphia Pediatric Diabetes Registry. *Diabetes Care* 36:1597–1603, 2013
35. Libman IM, LaPorte RE, Becker D, Dorman JS, Drash AL, Kuller L: Was there an epidemic of diabetes in nonwhite adolescents in Allegheny County, Pennsylvania? *Diabetes Care* 21:1278–1281, 1998
36. Smith TL, Drum M, Lipton RB: Incidence of childhood type 1 and non-type 1 diabetes mellitus in a diverse population: the Chicago Childhood Diabetes Registry, 1994 to 2003. *J Pediatr Endocrinol Metab* 20:1093–1107, 2007
37. Writing Group for the SEARCH for Diabetes in Youth Study Group, Dabelea D, Bell RA, D'Agostino RB, Jr., Imperatore G, Johansen JM, Linder B, Liu LL, Loots B, Marcovina S, Mayer-Davis EJ, Pettitt DJ, Waitzfelder B: Incidence of diabetes in youth in the United States. *JAMA* 297:2716–2724, 2007
38. Dabelea D, Mayer-Davis EJ, Saydah S, Imperatore G, Linder B, Divers J, Bell R, Badaru A, Talton JW, Crume T, Liese AD, Merchant AT, Lawrence JM, Reynolds K, Dolan L, Liu LL, Hamman RF; SEARCH for Diabetes in Youth Study: Prevalence of type 1 and type 2 diabetes among children and adolescents from 2001 to 2009. *JAMA* 311:1778–1786, 2014
39. Lawrence JM, Black MH, Zhang JL, Slezak JM, Takhar HS, Koebnick C, Mayer-Davis EJ, Zhong VW, Dabelea D, Hamman RF, Reynolds K: Validation of pediatric diabetes case identification approaches for diagnosed cases by using information in the electronic health records of a large integrated managed health care organization. *Am J Epidemiol* 179:27–38, 2014
40. Zhong VW, Pfaff ER, Beavers DP, Thomas J, Jaacks LM, Bowlby DA, Carey TS, Lawrence JM, Dabelea D, Hamman RF, Pihoker C, Saydah SH, Mayer-Davis EJ; SEARCH for Diabetes in Youth Study Group: Use of administrative and electronic health record data for development of automated algorithms for childhood diabetes case ascertainment and type classification: the SEARCH for Diabetes in Youth Study. *Pediatr Diabetes* 8:573–584, 2014
41. Vanderloo SE, Johnson JA, Reimer K, McCrea P, Nuernberger K, Krueger H, Aydede SK, Collet JP, Amed S: Validation of classification algorithms for childhood diabetes identified from administrative data. *Pediatr Diabetes* 13:229–234, 2012
42. Lorenzen T, Pociot F, Hougaard P, Nerup J: Long-term risk of IDDM in first-degree relatives of patients with IDDM. *Diabetologia* 37:321–327, 1994
43. Harjutsalo V, Podar T, Tuomilehto J: Cumulative incidence of type 1 diabetes in 10,168 siblings of Finnish young-onset type 1 diabetic patients. *Diabetes* 54:563–569, 2005
44. Thunander M, Petersson C, Jonzon K, Fornander J, Ossiansson B, Torn C, Edvardsson S, Landin-Olsson M: Incidence of type 1 and type 2 diabetes in adults and children in Kronoberg, Sweden. *Diabetes Res Clin Pract* 82:247–255, 2008
45. Klompas M, Eggleston E, McVetta J, Lazarus R, Li L, Platt R: Automated detection and classification of type 1 versus type 2 diabetes using electronic health record data. *Diabetes Care* 36:914–921, 2013
46. Lammi N, Blomstedt PA, Moltchanova E, Eriksson JG, Tuomilehto J, Karvonen M: Marked temporal increase in the incidence of type 1 and type 2 diabetes among young adults in Finland. *Diabetologia* 51:897–899, 2008
47. Bruno G, Novelli G, Panero F, Perotto M, Monasterolo F, Bona G, Perino A, Rabbone I, Cavallo-Perin P, Cerutti F; Piedmont Study Group for Diabetes Epidemiology: The incidence of type 1 diabetes is increasing in both children and young adults in Northern Italy: 1984–2004 temporal trends. *Diabetologia* 52:2531–2535, 2009
48. Farmer A, Fox R: Diagnosis, classification, and treatment of diabetes. *BMJ* 342:d3319, 2011
49. Thacker SB, Berkelman RL: Public health surveillance in the United States. *Epidemiol Rev* 10:164–190, 1988
50. SEARCH for Diabetes in Youth Study Group, Liese AD, D'Agostino RB, Jr., Hamman RF, Kilgo PD, Lawrence JM, Liu LL, Loots B, Linder B, Marcovina S, Rodriguez B, Standiford D, Williams DE: The burden of diabetes mellitus among US youth: prevalence estimates from the SEARCH for Diabetes in Youth Study. *Pediatrics* 118:1510–1518, 2006

51. Dokheel TM: An epidemic of childhood diabetes in the United States? Evidence from Allegheny County, Pennsylvania. Pittsburgh Diabetes Epidemiology Research Group. *Diabetes Care* 16:1606–1611, 1993
52. Vehik K, Hamman RF, Lezotte D, Norris JM, Klingensmith G, Bloch C, Rewers M, Dabelea D: Increasing incidence of type 1 diabetes in 0- to 17-year-old Colorado youth. *Diabetes Care* 30:503–509, 2007
53. Evertsen J, Alemzadeh R, Wang X: Increasing incidence of pediatric type 1 diabetes mellitus in Southeastern Wisconsin: relationship with body weight at diagnosis. *PLoS One* 4:e6873, 2009
54. Acton KJ, Burrows NR, Moore K, Querec L, Geiss LS, Engelgau MM: Trends in diabetes prevalence among American Indian and Alaska Native children, adolescents, and young adults. *Am J Public Health* 92:1485–1490, 2002
55. Berhan Y, Waernbaum I, Lind T, Mollsten A, Dahlquist G; Swedish Childhood Diabetes Study Group: Thirty years of prospective nationwide incidence of childhood type 1 diabetes: the accelerating increase by time tends to level off in Sweden. *Diabetes* 60:577–581, 2011
56. Nicoll A, Lynn R, Rahi J, Verity C, Haines L: Public health outputs from the British Paediatric Surveillance Unit and similar clinician-based systems. *J R Soc Med* 93:580–585, 2000
57. Campbell-Stokes PL, Taylor BJ; New Zealand Children's Diabetes Working Group: Prospective incidence study of diabetes mellitus in New Zealand children aged 0 to 14 years. *Diabetologia* 48:643–648, 2005
58. Catanzariti L, Faulks K, Moon L, Waters AM, Flack J, Craig ME: Australia's national trends in the incidence of type 1 diabetes in 0–14-year-olds, 2000–2006. *Diabet Med* 26:596–601, 2009
59. Lawrence JM, Imperatore G, Dabelea D, Mayer-Davis EJ, Linder B, Saydah S, Klingensmith GJ, Dolan L, Standiford DA, Pihoker C, Pettitt DJ, Talton JW, Thomas J, Bell RA, D'Agostino RB, Jr.; SEARCH for Diabetes in Youth Study Group: Trends in incidence of type 1 diabetes among non-Hispanic white youth in the U.S., 2002–2009. *Diabetes* 63:3938–3945, 2014
60. International Diabetes Federation: *IDF Diabetes Atlas*. 6th edition. Brussels, Belgium, International Diabetes Federation, 2013
61. Washington RE, Orchard TJ, Arena VC, LaPorte RE, Tull ES: Incidence of type 1 and type 2 diabetes in youth in the US Virgin Islands, 2001–2010. *Pediatr Diabetes* 14:280–287, 2013
62. Tull ES, Roseman JM, Christian CL: Epidemiology of childhood IDDM in U.S. Virgin Islands from 1979 to 1988. Evidence of an epidemic in early 1980s and variation by degree of racial admixture. *Diabetes Care* 14:558–564, 1991
63. Bell RA, Mayer-Davis EJ, Beyer JW, D'Agostino RB, Jr., Lawrence JM, Linder B, Liu LL, Marcovina SM, Rodriguez BL, Williams D, Dabelea D; SEARCH for Diabetes in Youth Study Group: Diabetes in non-Hispanic white youth: prevalence, incidence, and clinical characteristics: the SEARCH for Diabetes in Youth Study. *Diabetes Care* 32(Suppl 2):S102–S111, 2009
64. Jongbloet PH, Groenewoud HM, Hirasig RA, Van Buuren S: Seasonality of birth in patients with childhood diabetes in The Netherlands. *Diabetes Care* 21:190–191, 1998
65. Samuelsson U, Johansson C, Ludvigsson J: Month of birth and risk of developing insulin dependent diabetes in south east Sweden. *Arch Dis Child* 81:143–146, 1999
66. McKinney PA; EURODIAB Seasonality of Birth Group. Europe and Diabetes: Seasonality of birth in patients with childhood type 1 diabetes in 19 European regions. *Diabetologia* 44(Suppl 3):B67–B74, 2001
67. Vaiserman AM, Carstensen B, Voitenko VP, Tronko MD, Kravchenko VI, Khalangot MD, Mechova LV: Seasonality of birth in children and young adults (0–29 years) with type 1 diabetes in Ukraine. *Diabetologia* 50:32–35, 2007
68. Willis JA, Scott RS, Darlow BA, Lewy H, Ashkenazi I, Laron Z: Seasonality of birth and onset of clinical disease in children and adolescents (0–19 years) with type 1 diabetes mellitus in Canterbury, New Zealand. *J Pediatr Endocrinol Metab* 15:645–647, 2002
69. Kahn HS, Morgan TM, Case LD, Dabelea D, Mayer-Davis EJ, Lawrence JM, Marcovina SM, Imperatore G; SEARCH for Diabetes in Youth Study Group: Association of type 1 diabetes with month of birth among U.S. youth: The SEARCH for Diabetes in Youth Study. *Diabetes Care* 32:2010–2015, 2009
70. Moltchanova EV, Schreiber N, Lammi N, Karvonen M: Seasonal variation of diagnosis of type 1 diabetes mellitus in children worldwide. *Diabet Med* 26:673–678, 2009
71. Patterson CC, Gyurus E, Rosenbauer J, Cinek O, Neu A, Schober E, Parslow RC, Joner G, Svensson J, Castell C, Bingley PJ, Schoenle E, Jarosz-Chobot P, Urbonaite B, Rothe U, Krzysnik C, Ionescu-Tirgoviste C, Weets I, Kocova M, Stipanovic G, Samardzic M, de Beaufort CE, Green A, Dahlquist GG, Soltesz G: Trends in childhood type 1 diabetes incidence in Europe during 1989–2008: evidence of non-uniformity over time in rates of increase. *Diabetologia* 55:2142–2147, 2012
72. Derraik JG, Reed PW, Jefferies C, Cutfield SW, Hofman PL, Cutfield WS: Increasing incidence and age at diagnosis among children with type 1 diabetes mellitus over a 20-year period in Auckland (New Zealand). *PLoS One* 7:e32640, 2012
73. Tran F, Stone M, Huang CY, Lloyd M, Woodhead HJ, Elliott KD, Crock PA, Howard NJ, Craig ME: Population-based incidence of diabetes in Australian youth aged 10–18 yr: increase in type 1 diabetes but not type 2 diabetes. *Pediatr Diabetes* 15:585–590, 2014
74. Harjutsalo V, Sund R, Knip M, Groop PH: Incidence of type 1 diabetes in Finland. *JAMA* 310:427–428, 2013
75. Skrivarhaug T, Stene LC, Drivvoll AK, Strom H, Joner G; Norwegian Childhood Diabetes Study Group: Incidence of type 1 diabetes in Norway among children aged 0–14 years between 1989 and 2012: has the incidence stopped rising? Results from the Norwegian Childhood Diabetes Registry. *Diabetologia* 57:57–62, 2014
76. Imperatore G, Boyle JP, Thompson TJ, Case D, Dabelea D, Hamman RF, Lawrence JM, Liese AD, Liu LL, Mayer-Davis EJ, Rodriguez BL, Standiford D; SEARCH for Diabetes in Youth Study Group: Projections of type 1 and type 2 diabetes burden in the U.S. population aged <20 years through 2050: dynamic modeling of incidence, mortality, and population growth. *Diabetes Care* 35:2515–2520, 2012
77. U.S. Bureau of the Census: *Population Projections of the United States by Age, Sex, Race, and Hispanic Origin: 1995 to 2050*. Current Population Reports, P25–1130. Washington, DC: U.S. Government Printing Office, 1996
78. Molbak AG, Christau B, Marnar B, Borch-Johnsen K, Nerup J: Incidence of insulin-dependent diabetes mellitus in age groups over 30 years in Denmark. *Diabet Med* 11:650–655, 1994
79. Vandewalle CL, Coeckelberghs MI, De Leeuw IH, Du Caju MV, Schuit FC, Pipeleers DG, Gorus FK: Epidemiology, clinical aspects, and biology of IDDM patients under age 40 years. Comparison of data from Antwerp with complete ascertainment with data from Belgium with 40% ascertainment. The Belgian Diabetes Registry. *Diabetes Care* 20:1556–1561, 1997

80. Kyvik KO, Nystrom L, Gorus F, Songini M, Oestman J, Castell C, Green A, Guyrus E, Ionescu-Tirgoviste C, McKinney PA, Michalkova D, Ostrauskas R, Raymond NT: The epidemiology of type 1 diabetes mellitus is not the same in young adults as in children. *Diabetologia* 47:377–384, 2004
81. Bruno G, Runzo C, Cavallo-Perin P, Merletti F, Rivetti M, Pinach S, Novelli G, Trovati M, Cerutti F, Pagano G; Piedmont Study Group for Diabetes Epidemiology: Incidence of type 1 and type 2 diabetes in adults aged 30–49 years: the population-based registry in the province of Turin, Italy. *Diabetes Care* 28:2613–2619, 2005
82. Krolewski AS, Warram JH, Rand LI, Kahn CR: Epidemiologic approach to the etiology of type I diabetes mellitus and its complications. *N Engl J Med* 317:1390–1398, 1987
83. Imkamp AK, Gulliford MC: Trends in type 1 diabetes incidence in the UK in 0- to 14-year-olds and in 15- to 34-year-olds, 1991–2008. *Diabet Med* 28:811–814, 2011
84. Dahlquist GG, Nystrom L, Patterson CC; Swedish Childhood Diabetes Study Group; Diabetes Incidence in Sweden Study Group: Incidence of type 1 diabetes in Sweden among individuals aged 0–34 years, 1983–2007: an analysis of time trends. *Diabetes Care* 34:1754–1759, 2011
85. Rawshani A, Landin-Olsson M, Svensson AM, Nystrom L, Arnqvist HJ, Bolinder J, Gudbjornsdottir S: The incidence of diabetes among 0–34 year olds in Sweden: new data and better methods. *Diabetologia* 57:1375–1381, 2014
86. Nichols GA, Desai J, Elston Lafata J, Lawrence JM, O'Connor PJ, Pathak RD, Raebel MA, Reid RJ, Selby JV, Silverman BG, Steiner JF, Stewart WF, Vupputuri S, Waitzfelder B; SUPREME-DM Study Group: Construction of a multisite DataLink using electronic health records for the identification, surveillance, prevention, and management of diabetes mellitus: the SUPREME-DM project. *Prev Chronic Dis* 9:E110, 2012
87. Amed S, Vanderloo SE, Metzger D, Collet JP, Reimer K, McCrea P, Johnson JA: Validation of diabetes case definitions using administrative claims data. *Diabet Med* 28:424–427, 2011
88. Asghari S, Courteau J, Carpentier AC, Vanasse A: Optimal strategy to identify incidence of diagnostic of diabetes using administrative data. *BMC Med Res Methodol* 9:62, 2009
89. Guttman A, Nakhla M, Henderson M, To T, Daneman D, Cauch-Dudek K, Wang X, Lam K, Hux J: Validation of a health administrative data algorithm for assessing the epidemiology of diabetes in Canadian children. *Pediatr Diabetes* 11:122–128, 2010
90. Lo-Ciganic W, Zgibor JC, Ruppert K, Arena VC, Stone RA: Identifying type 1 and type 2 diabetic cases using administrative data: a tree-structured model. *J Diabetes Sci Technol* 5:486–493, 2011
91. Hillestad R, Bigelow J, Bower A, Giroi F, Meili R, Scoville R, Taylor R: Can electronic medical record systems transform health care? Potential health benefits, savings, and costs. *Health Aff (Millwood)* 24:1103–1117, 2005
92. Joshy G, Simmons D: Diabetes information systems: a rapidly emerging support for diabetes surveillance and care. *Diabetes Technol Ther* 8:587–597, 2006
93. Pace WD, Cifuentes M, Valuck RJ, Staton EW, Brandt EC, West DR: An electronic practice-based network for observational comparative effectiveness research. *Ann Intern Med* 151:338–340, 2009
94. Wagenknecht LE, Roseman JM, Herman WH: Increased incidence of insulin-dependent diabetes mellitus following an epidemic of Coxsackievirus B5. *Am J Epidemiol* 133:1024–1031, 1991
95. Frazer de Llado TE, Gonzalez de Pijem L, Hawk B: Incidence of IDDM in children living in Puerto Rico. Puerto Rican IDDM Coalition. *Diabetes Care* 21:744–746, 1998
96. Bruno G, Maule M, Biggeri A, Ledda A, Mannu C, Merletti F, Songini M; Sardinian Group for Diabetes Epidemiology: More than 20 years of registration of type 1 diabetes in Sardinian children: temporal variations of incidence with age, period of diagnosis, and year of birth. *Diabetes* 62:3542–3546, 2013
97. Bruno G, Maule M, Merletti F, Novelli G, Falorni A, Iannilli A, Iughetti L, Altobelli E, d'Annunzio G, Piffer S, Pozzilli P, Iafusco D, Songini M, Roncarolo F, Toni S, Carle F, Cherubini V; RIDI Study Group: Age-period-cohort analysis of 1990–2003 incidence time trends of childhood diabetes in Italy: the RIDI study. *Diabetes* 59:2281–2287, 2010
98. Ostrauskas R, Zalinkevicius R, Jurgeviene N, Radzeviene L, Lasaitis L: The incidence of type 1 diabetes mellitus among 15–34 years aged Lithuanian population: 18-year incidence study based on prospective databases. *BMC Public Health* 11:813, 2011
99. Weets I, Rooman R, Coeckelberghs M, De Block C, Van Gaal L, Kaufman JM, Keymeulen B, Mathieu C, Weber E, Pipeleers DG, Gorus FK; Belgian Diabetes Registry: The age at diagnosis of type 1 diabetes continues to decrease in Belgian boys but not in girls: a 15-year survey. *Diabetes Metab Res Rev* 23:637–643, 2007